



# CP2200DW

Features

Specs

Where to buy

<b>Model</b>	<b>CP2200DW</b>
<b>Printing</b>	
Print speed	24ppm (A4) / 26 ppm (Letter) (Black & Color)
First print out time	Less than 11s
Recommended monthly volume	50000 pages
Resolution(dpi)	600 x 600dpi(Optical) 4800 x 600dpi(Enhanced)
Printer language	PCLm/PS3/PCL6/PCL5
Duplex Mode	Auto
<b>Paper handling</b>	
Paper input	250 pages
Paper output	100 pages
Media type	Plain Paper/Colored Paper/Card Stock/Labels/Letterhead/Preprinted/Bond/Glossy/Light Paper/Heavy Paper/Rough&Cotton/Recycled/Envelope
Media size	A4/A5/A5LEF/A6/JIS B5/Oficio/Hagaki Postcard/Statement/Executive/Letter/Folio/Legal/General paper DL envelope/C5 envelope/B5 envelope/7*3/4 envelope/ #9 envelope/#10 envelope
Media weight	Standard tray: 60-120g/m <sup>2</sup> Multipurpose tray: 60-176g/m <sup>2</sup> Duplex: 60-105g/m <sup>2</sup> ADF: 60-90g/m <sup>2</sup>
<b>General</b>	
Dimensions (W×D×H)	411.2*394.1*243.7mm
Weight (with cartridge)	16.1kg
Recommended environment	Temperature range: 10-32°C (50°F-90°F) Humidity range: 20% - 80%
Power	220-240v; 50/60Hz; 2.6A
Noise	Print(black/color): 52/53dB(A) Duplex print(black/color): 51/52dB(A) Sleep/Hibernate/Ready/Idle: 14dB(A) Mute mode printing: (single,black color):46/46dB(A) Mute mode printing: (duplex,black color):45/45dB(A)
Power consumption	Print: 395W Duplex print: 275W



	Ready: 17W Sleep: 0.9W Hibernate: 0.1W
Operating system compatibility	Windows Vista/Win7/Win8/Win8.1/Win10/ Server 2008/Server2008 R2/Server 2012 R2/Server 2016
	Airprint for the print Airscan for the scan
	Linux: Ubuntu 18.04/16.04
Connectivity	Hi-Speed USB 2.0 10/100/1000 BaseTX Ethernet(RJ-45) 802.11b/g/n Wireless
Processor speed	Dual Core,1GHz
Memory	512MB
<b>Consumable *</b>	
Toner cartridge	CTL-2000 Series
Starter cartridge capacity(K/CMY)	750pages/500pages
Standard cartridge capacity(K/CMY)(K/CMY)	CTL-2000C/2000M/2000Y/2000K: 1.5K/1.5K CTL-2000HC/2000HM/2000HY/2000HK: 3.5K/3.5K
Waste toner bottle capacity	CWT-2000: 15K
* Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798. Actual yield may vary based on other factors such as paper size and feed direction, toner coverage, percentage of black-only printing, and average print job complexity.	
The model is only available in some countries.	



PRINTING SHOULD BE  
**SIMPLE**

[Cartridges](#) | [Single Function Printers](#) | [Color Printers](#) | [Multifunction Printers](#)



## Need Help?

Contact us now ▼

Skype 

Service Center 

[Drivers & Downloads](#) [Manual and FAQ](#) [Service Hotline](#)



## Get the latest deals

Stay connected with latest updates and newsletters

[About Pantum](#)  
[Company Profile](#)  
[Contact Us](#)  
[Pantum News](#)  
[Work at Pantum](#)

[Partners](#)  
[Pantum Activities](#)  
[Partner Center](#)

### Social Media



[Warranty Terms & Conditions](#)  
[Drivers & Downloads](#)  
[Customer Service Hotline](#)  
[Service Center](#)  
[Android APP Download](#)  
[AirPrint Download](#)



This site uses cookies for various purposes including enhancing your experience, analytics, and ads. By continuing to browse this site or by clicking "Accept and close", you agree to our use of cookies. [For more information, read our Cookies page.](#)

Accept and close

